

List of pages in this Trip Kit

- Trip Kit Index
- Airport Information For OPNH
- Terminal Charts For OPNH
- Revision Letter For Cycle 10-2025
- Change Notices
- Notebook

General Information

Location: NAWABSHAH PAK
ICAO/IATA: OPNH / WNS
Lat/Long: N26° 13.2', E068° 23.4'
Elevation: 95 ft

Airport Use: Public
Daylight Savings: Not Observed
UTC Conversion: -5:00 = UTC
Magnetic Variation: 1.0° E

Fuel Types: Jet A-1
Customs: Yes
Airport Type: IFR
Landing Fee: Yes
Control Tower: Yes
Jet Start Unit: No
LLWS Alert: No
Beacon: No

Sunrise: 0037 Z
Sunset: 1410 Z


Runway Information


Runway: 02
Length x Width: 8999 ft x 151 ft
Surface Type: concrete
TDZ-Elev: 94 ft
Lighting: Edge, ALS
Stopway: 899 ft

Runway: 20
Length x Width: 8999 ft x 151 ft
Surface Type: concrete
TDZ-Elev: 95 ft
Lighting: Edge, ALS
Stopway: 899 ft

Communication Information

Nawabshah Tower: 118.100
Nawabshah Ramp/Taxi: 121.800





Legend:

- 4000
- 2000
- CONTOUR INTERVALS

Map Labels:

- 3646
- 80
- 60
- 22
- 17
- 26
- 67-30
- 68-00
- 68-30
- 25-30
- 26-00
- 25-00

Flight Paths:

- NH369 MAX 250 KT
- NH37 MAX 250 KT
- 045°
- 219°
- 214°
- 180°
- 67.3
- 80.3
- 43.7

Airports:


- BADUL
- MAKLI
- HYDERABAD (OPKD)
- KD

RNP DEPARTURES (RWY 02)

BADUL 1A	[BADUL1A]
BADUL 1C	[BADUL1C]
KDND 1A	[KDND1A]
MAKLI 1A	[MAKLI1A]

NAMABSHAH, PAKISTAN
.RNAV.SID.

CHANGES: New procedures at this airport.



OPNH/WNS
NAWABSHAH INTL

25 NOV 22
JEPPESSEN
NAWABSHAH, PAKISTAN
RNP DEPARTURES
(RWY 20)
Eff: 1 Dec.

OPNH/WNS

Apt Elev 95
N26 13.2 E068 23.4



JEPPesen


10 JUN 22

10-9

.Eff. 16 Jun.

NAWABSHAH, PAKISTAN

NAWABSHAH INTL



ADDITIONAL RUNWAY INFORMATION

RWY		USABLE LENGTHS			
		LANDING BEYOND		TAKE-OFF	WIDTH
		Threshold	Glide Slope		
02	HIRL (60m) HIALS PAPI-L (angle 3.0°)				151'
20					46m

Std.

TAKE-OFF

RL & RCLM	RL	RL or RCLM	Adequate Vis Ref	
DAY	NIGHT	DAY	DAY	NIGHT
R300m		R400m	R/V500m	NA

OPNH/WNS

 **JEPPESSEN**
5 JUL 24
Eff. 11 Jul. 10-9S

EASA AIR OPS
NAWABSHAH, PAKISTAN
NAWABSHAH INTL

STRAIGHT-IN RWY		A	B	C	D
02	RNP LNAV/VNAV	430' (336') R800m	430' (336') R800m	430' (336') R800m	430' (336') R800m
	ALS out	R1500m	R1500m	R1500m	R1500m
	RNP 1 LNAV	530' (436') R1300m	530' (436') R1300m	530' (436') R1300m	530' (436') R1300m
	ALS out	R1500m	R1500m	R2000m	R2000m
	1 VOR	530' (435') R1300m	530' (435') R1300m	530' (435') R1300m	530' (435') R1300m
	ALS out	R1500m	R1500m	R2000m	R2000m
	1 NDB	890' (795') R1500m R2400m	890' (795') R1500m R2400m	890' (795') R1500m R2400m	890' (795') R1500m R2400m
	RNP LNAV/VNAV	430' (335') R1300m	430' (335') R1300m	430' (335') R1300m	430' (335') R1300m
	ALS out	R1500m	R1500m	R1500m	R1500m
	RNP 1 LNAV	530' (435') R1500m	530' (435') R1500m	530' (435') R1800m	530' (435') R1800m
20	ALS out	R1500m	R1500m	R2000m	R2000m
	1 VOR	530' (435') R1500m	530' (435') R1500m	530' (435') R1800m	530' (435') R1800m
	ALS out	R1500m	R1500m	R2000m	R2000m
	1 NDB	890' (795') R1500m	890' (795') R1500m	890' (795') R2400m	890' (795') R2400m
	ALS out	R1500m	R1500m	R2400m	R2400m
	RNP LNAV/VNAV	430' (335') R1300m	430' (335') R1300m	430' (335') R1300m	430' (335') R1300m
	ALS out	R1500m	R1500m	R1500m	R1500m
	RNP 1 LNAV	530' (435') R1500m	530' (435') R1500m	530' (435') R1800m	530' (435') R1800m
	ALS out	R1500m	R1500m	R2000m	R2000m
	1 VOR	530' (435') R1500m	530' (435') R1500m	530' (435') R1800m	530' (435') R1800m

1 Continous Descent Final Approach.

CIRCLE-TO-LAND	100 KT	135 KT	180 KT	205 KT
2 after RNP Rwy 02	900' (805')	900' (805')	1000' (905')	1000' (905')
	900' (806')	900' (806')	1000' (906')	1000' (906')
	V1500m	V1600m	V2400m	V3600m


2 Circling height based on rwy 02 thresh elevation.

TAKE-OFF					
Low Visibility Procedures required		RCLM or RL	RL	Adequate Vis Ref	
Approval for Low Visibility Take-off required					
RCLM & RL & RVR		DAY	NIGHT	DAY	NIGHT
DAY	NIGHT				
R300m		R/V400m		R/V500m	NA

OPNH/WNS
NAWABSHAH INTL

JEPPESEN
10 JUN 22 (12-1) Eff. 16 Jun.

NAWABSHAH, PAKISTAN
RNP Rwy 02




un. NAWABSHAH, PAKISTAN RNP Rwy 20

OPNH/WNS
NAWABSHAH INTL

JEPPESEN
5 JUL 24 13-1 .Eff.11.Jul.


NAWABSHAH, PAKISTAN
VOR Rwy 02



OPNH/WNS
NAWABSHAH INTL

JEPPESEN
5 JUL 24 13-2 .Eff.11.Jul.


NAWABSHAH, PAKISTAN
VOR Rwy 20



OPNH/WNS
NAWABSHAH INTL

JEPPESEN
10 JUN 22 (16-1) .Eff.16.Jun.

NAWABSHAH, PAKISTAN
NDB Rwy 02




OPNH/WNS
NAWABSHAH INTL

JEPPESEN

10 JUN 22 (16-2) .Eff.16.Jun.

NAWABSHAH, PAKISTAN
NDB Rwy 20



NAWABSHAH, (NAWABSHAH INTL - OPNH)

TERMINAL CHART CHANGE NOTICES

Chart Change Notices for Airport OPNH

Type: Terminal
Effectivity: Temporary
Begin Date: Immediately
End Date: 20241208

Based on SUP 53/24 night operations not available due to renovation work of airfield lighting system.